

Erratum 2 – Page 28 - Replace Table 3.2b with the following

Table 3.2b Representative conservation (percentage reservation status of vulnerable and rare EVCs in the West region by FMA based on extant vegetation mapping

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|-------------------------------|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 3 | Damp Sands Herb-rich Woodland | 791 | 374 | 49 | 53.5% | 1446 | 686 | | 47.5% | 28685 | 7566 | 2537 | 35.2% | 12132 | 5392 | 1579 | 57.5% |
| 6 | Sand Heathland | 131 | 108 | | 82.2% | 43 | 43 | | 100.0% | 1257 | 659 | 234 | 71.0% | 13054 | 11565 | 656 | 93.6% |
| 7 | Clay Heathland | 30 | | | | 2 | 2 | | 100.0% | | | | | | | | |
| 8 | Wet Heathland | | | | | 1893 | 868 | 685 | 82.0% | 4421 | 3597 | 479 | 92.2% | 1180 | 1116 | | 94.6% |
| 9 | Coastal Saltmarsh | | | | | | | | | 15 | 14 | | 94.0% | 0 | 0 | | 2.6% |
| 10 | Estuarine Wetland | 4 | | | | 527 | 111 | | 21.0% | 100 | 18 | | 17.9% | | | | |
| 13 | Brackish Sedgeland | | | | | | | | | 128 | 110 | 6 | 90.7% | 25 | 15 | 5 | 76.8% |
| 17 | Riparian Scrub Complex | 815 | 48 | | 5.8% | 3512 | 1313 | 1414 | 77.7% | | | | | | | | |
| 18 | Riparian Forest | 734 | 203 | 380 | 79.4% | 3259 | 816 | 1268 | 63.9% | 621 | 315 | 142 | 73.5% | 156 | 156 | | 100.0% |
| 19 | Riparian Shrubland | | | | | | | | | 43 | 27 | | 61.8% | 62 | 60 | 0 | 97.6% |
| 23 | Herb-rich Foothill Forest | 36643 | 2377 | 6994 | 25.6% | 7030 | 1582 | 1193 | 39.5% | 19328 | 2139 | 4079 | 32.2% | 1157 | 1091 | 1 | 94.4% |
| 28 | Rocky Outcrop Shrubland | | | | | | | | | 116 | 101 | | 87.5% | 13896 | 12581 | 549 | 94.5% |
| 29 | Damp Forest | 1826 | 755 | 605 | 74.5% | | | | | | | | | 302 | 302 | | 100.0% |
| 37 | Montane Grassy Woodland | 11 | 11 | | 100.0% | | | | | | | | | 3 | 3 | | 100.0% |
| 47 | Valley Grassy Forest | 10185 | 1273 | 1692 | 29.1% | | | | | | | | | 5351 | 4094 | | 76.5% |
| 53 | Swamp Scrub | 21 | 2 | | 8.5% | 562 | 255 | 1 | 45.6% | 1814 | 361 | 356 | 39.6% | 19 | | | |
| 55 | Plains Grassy Woodland | 7249 | 1710 | 153 | 25.7% | 1086 | 314 | 0 | 28.9% | 2846 | 290 | 48 | 11.9% | 24047 | 3248 | 6641 | 41.1% |
| 56 | Floodplain Riparian Woodland | 590 | 92 | | 15.7% | 95 | | | | 2209 | 666 | | 30.2% | 793 | 254 | 5 | 32.7% |
| 61 | Box Ironbark Forest | 4661 | 1138 | 1232 | 50.9% | | | | | | | | | 3698 | 482 | 2013 | 67.5% |
| 64 | Rocky Chenopod | 673 | 375 | | 55.7% | | | | | | | | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Woodland | | | | | | | | | | | | | | | | |
| 65 | Sedge-rich Woodland | | | | | | | | | | | | 155 | | 143 | 92.7% | |
| 67 | Alluvial Terraces Herb-rich Woodland | 2148 | 304 | 1301 | 74.7% | | | | | 5 | 2 | | 50.5% | 1654 | 1003 | 386 | 84.0% |
| 68 | Creekline Grassy Woodland | 889 | 624 | 26 | 73.1% | 94 | 86 | 1 | 92.5% | 616 | 28 | 1 | 4.7% | 705 | 232 | 177 | 58.0% |
| 69 | Metamorphic Slopes Shrubby Woodland | 8 | | | | | | | | | | | | | | | |
| 70 | Hillcrest Herb-rich Woodland | 482 | 70 | 308 | 78.4% | | | | | | | | | | | | |
| 72 | Granitic Hills Woodland | 250 | 226 | | 90.3% | | | | | | | | | | | | |
| 73 | Rocky Outcrop Shrubland/Herbland Mosaic | 498 | 391 | 43 | 87.0% | | | | | | | | | 5925 | 5772 | 5 | 97.5% |
| 74 | Wetland Formation | 76 | 73 | 2 | 97.9% | | | | | | | | | 43 | | 35 | 81.2% |
| 76 | Low Rises Grassy Woodland/Alluvial Terraces Herb-rich Woodland Mosaic | 635 | 26 | 2 | 4.4% | | | | | | | | | | | | |
| 83 | Swampy Riparian Woodland | 331 | 9 | | 2.6% | 108 | | 0 | 0.2% | 4 | 3 | | 65.1% | | | | |
| 93 | Broombush Mallee | 22 | | | | | | | | | | | | 187 | 187 | | 100.0% |
| 103 | Riverine Grassy Chenopod Woodland | | | | | | | | | | | | | 199 | 95 | | 47.8% |
| 104 | Lignum Wetland | 23 | 1 | | 3.9% | | | | | | | | | | | | |
| 124 | Grey Clay Drainage Line Complex | | | | | | | | | 0 | | | | | | | |
| 125 | Plains Grassy Wetland | 126 | 4 | | 3.4% | 61 | 39 | | 63.6% | 23 | | 5 | 19.7% | 3 | | | |
| 126 | Swampy Riparian Complex | | | | | | | | | | | | | | | | |
| 127 | Valley Heathy Forest | 70 | 11 | | 16.4% | | | | | | | | | | | | |
| 128 | Grassy Forest | 2857 | | 83 | 2.9% | 89 | | | | | | | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | Otway FMA | | | Portland FMA | | | Horsham FMA | | | | | |
|--------|---|------------------|--------------------------|-----------|------------------|--|-----------------------|------------------|--------------------------|--|------------------|--------------------------|-----------|--|-----|-------|
| | | Extant Area (ha) | Draft CAR reserve system | | Extant Area (ha) | Draft CAR reserve system | | Extant Area (ha) | Draft CAR reserve system | | Extant Area (ha) | Draft CAR reserve system | | | | |
| | | | Conservation Reserves | Additions | | % extant protected in draft CAR reserve system | Conservation Reserves | | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | |
| 132 | Plains Grassland | 2548 | 72 | | 2.8% | | | | 1 | | | | 0 | 0 | | 51.8% |
| 133 | Limestone Pomaderris Shrubland | | | | | | | | 4 | 4 | | 100.0% | | | | |
| 134 | Sand Forest | 52 | | | | | | | | | | | 323 | 22 | 54 | 23.5% |
| 136 | Sedge Wetland | 9 | | | | | | | 1210 | 257 | 713 | 80.1% | 134 | 57 | 62 | 88.9% |
| 140 | Mangrove Shrubland | 49 | 44 | | 89.9% | | | | | | | | | | | |
| 152 | Alluvial Terraces Herb-rich Woodland/Plains Grassy Woodland Complex | 172 | | | | | | | | | | | | | | |
| 155 | Bird Colony Succulent Herbland | | | | | | | | 1 | 0 | | 83.2% | | | | |
| 160 | Coastal Dune Scrub | | | | | | | | 1407 | 1109 | | 78.8% | | | | |
| 161 | Coastal Headland Scrub | 293 | 265 | | 90.2% | 2617 | 2208 | | 391 | 282 | | 72.0% | | | | |
| 162 | Coastal Headland Scrub/Headland Coastal Tussock Grassland Mosaic | | | | | 186 | 170 | | 198 | 191 | | 96.5% | | | | |
| 163 | Coastal Tussock Grassland | 34 | 34 | | 100.0% | 472 | 453 | | | | | | | | | |
| 164 | Creekline Herb-rich Woodland | 2067 | 544 | 380 | 44.7% | | | | 2 | 2 | | 100.0% | 28 | 1 | | 4.3% |
| 165 | Damp Heath Scrub | | | | | 1652 | 1167 | 38 | 72.9% | 1 | | | 1334 | 1305 | 14 | 98.8% |
| 174 | Grassy Dry Forest/Rocky Outcrop Shrubland/Herbland Mosaic | | | | | | | | 24 | 24 | | 100.0% | 7 | | | |
| 175 | Grassy Woodland | 4254 | 440 | 348 | 18.5% | 812 | 117 | | | | | | 1238 | 63 | 145 | 16.8% |
| 177 | Valley Slopes Dry Forest | 14 | 14 | | 100.0% | | | | | | | | | | | |
| 181 | Coast Gully Thicket | | | | | 178 | 174 | | | | | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 184 | Montane Wet Heathland | | | | | | | | | | | | 54 | 54 | | 100.0% | |
| 191 | Riparian Scrub | | | | | | | | 2360 | 706 | 999 | 72.2% | 2449 | 2142 | 20 | 88.3% | |
| 192 | Montane Rocky Shrubland | | | | | | | | | | | | 1863 | 1863 | | 100.0% | |
| 193 | Rocky Outcrop Herbland | | | | | | | | | | | | 10026 | 9899 | 49 | 99.2% | |
| 195 | Seasonally Inundated Shrubby Woodland | 11 | 11 | 100.0% | | | | | 252 | 7 | 31 | 15.0% | 5228 | 2164 | 1152 | 63.4% | |
| 196 | Seasonally-inundated Sub-saline Herbland | 58 | 58 | 100.0% | | | | | | | | | | | | | |
| 200 | Shallow Freshwater Marsh | 4 | | | | | | | 220 | 62 | 34 | 43.3% | 839 | 605 | 67 | 80.1% | |
| 203 | Stoney Rises Herb-rich Woodland | 140 | 101 | 72.0% | 5634 | 346 | | 6.1% | 13064 | 8864 | 0 | 67.9% | | | | | |
| 233 | Wet Sands Thicket | | | | 1264 | 448 | 757 | 95.4% | | | | | | | | | |
| 237 | Riparian Forest/Swampy Riparian Woodland Mosaic | 14 | | | | | | | | | | | | | | | |
| 241 | Valley Grassy Forest/Plains Grassy Woodland Complex | | | | | | | | | | | | 11 | 0 | | 0.6% | |
| 262 | Slopes Box Grassy Woodland/Box Ironbark Forest Complex | | | | | | | | | | | | | | | | |
| 263 | Plains Grassy Woodland/Plains Grassland/Plains Grassy Wetland Mosaic | | | | | | | | | | | | | | | | |
| 264 | Sand Ridge Woodland | | | | | | | | | | | | 91 | 33 | 8 | 46.0% | |
| 269 | Riparian Shrubland/Swampy | | | | | | | | | | | | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Riparian Woodland Mosaic | | | | | | | | | | | | | | | | |
| 278 | Herb-rich Heathy Forest | | | | | | | | | | | | 431 | 430 | | | 99.8% |
| 279 | Heathland Thicket | | | | | | | | 1 | | | | 676 | 614 | 47 | | 97.9% |
| 281 | Sedge-rich Wetland | | | | | | | | 0 | | | | 495 | 241 | 234 | | 96.0% |
| 282 | Shrubby Woodland | 221 | 221 | | 100.0% | | | | 49 | | | | 7637 | 5829 | 79 | | 77.4% |
| 283 | Plains Sedy Woodland | | | | | | | | 86 | 58 | 8 | 76.7% | 2195 | 266 | 476 | | 33.8% |
| 284 | Claypan Ephemeral Wetland | | | | | | | | | | | | 3 | 3 | | | 100.0% |
| 285 | Dry Creekline Woodland | | | | | | | | | | | | 352 | 135 | 43 | | 50.7% |
| 291 | Cane Grass Wetland | 64 | | | | | | | | | | | 95 | 34 | 0 | | 36.4% |
| 292 | Red Gum Wetland | 65 | 1 | | 1.0% | | | | 93 | 0 | | 0.3% | 1351 | 408 | 128 | | 39.7% |
| 293 | Riparian Forest/Creekline Grassy Woodland Mosaic | | | | | | | | | | | | | | | | |
| 300 | Reed Swamp | 517 | 517 | | 100.0% | | | | | | | | 52 | 18 | | | 33.9% |
| 320 | Grassy Dry Forest/Heathy Dry Forest Complex | 1837 | | 1542 | 83.9% | | | | | | | | | | | | |
| 336 | Grampian Ranges Mosaics (includes EVCs 336-350, 352-381, 384-400, 402-471, 475-480, 484-634) | | | | | | | | 14 | | | | 8408 | 7321 | 525 | | 93.3% |
| 351 | Rocky Outcrop Shrubland/Herbland Mosaic/Grassy Dry Forest Complex | 1603 | 779 | 550 | 82.9% | | | | | | | | | | | | |
| 382 | Lowland | | | | | | | | | | | | 743 | 743 | | | 100.0% |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Forest/Heathy Dry Forest Complex | | | | | | | | | | | | | | | | |
| 383 | Lowland Forest/Valley Grassy Forest Complex | | | | | | | | | | | | 1150 | 1005 | | | 87.4% |
| 401 | Hills Herb-rich Woodland/Heathy Woodland Complex | | | | | | | | | | | | 738 | 718 | | | 97.4% |
| 472 | Heathy Woodland/Heathy Woodland Complex | | | | | | | | | | | | 734 | 567 | 163 | | 99.6% |
| 481 | Heathy Woodland/Heathy Dry Forest Complex | | | | | | | | | | | | 1294 | 1274 | | | 98.4% |
| 636 | Brackish Lake | | | | | | | | 1 | 0 | | 1.1% | 35 | 5 | 1 | | 17.2% |
| 640 | Creepline Sedgy Woodland | | | | | | | | 2 | | | | 366 | 250 | 0 | | 68.3% |
| 641 | Riparian Woodland | 305 | 104 | 4 | 35.2% | 26 | | | 1256 | 607 | 37 | 51.3% | 1519 | 686 | 115 | | 52.8% |
| 642 | Basalt Shrubby Woodland | | | | | | | | 78 | 2 | | 2.1% | | | | | |
| 643 | Brackish Drainage Line Herbland/Sedgeland Mosaic | | | | | | | | | | | | 24 | 12 | | | 50.4% |
| 644 | Cinder Cone Woodland | | | | | | | | 214 | 203 | | 94.6% | | | | | |
| 645 | Wet Heathland / Heathy Woodland Mosaic | | | | | | | | 4489 | 2824 | 1211 | 89.9% | | | | | |
| 646 | Heathy Woodland / Plains Grassy Woodland Mosaic | | | | | | | | 325 | | | | 2 | 0 | | | 1.6% |
| 647 | Plains Sedgy Wetland | 242 | 41 | | 16.9% | 129 | 49 | | 38.0% | 82 | 5 | 17 | 26.5% | 21 | 10 | | 46.3% |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 650 | Heathy Woodland / Damp Heathy Woodland / Damp Heathland Mosaic | | | | | | | | 10673 | 1948 | 6914 | 83.0% | 2162 | | 1874 | 86.7% | |
| 651 | Plains Swampy Woodland | | | | | | | | 62 | 1 | | 2.1% | 25 | | 25 | 98.6% | |
| 652 | Lunette Woodland | | | | | | | | 0 | 0 | | 30.2% | 55 | 14 | | 25.2% | |
| 653 | Aquatic Herbland | | | | | | | | 214 | 88 | 76 | 76.4% | 59 | 12 | 9 | 35.5% | |
| 655 | Lignum Cane Grass Swamp | | | | | | | | | | | | 34 | 8 | | 23.4% | |
| 656 | Brackish Wetland | | | | | | | | 191 | 185 | 6 | 99.9% | 3 | | | | |
| 657 | Freshwater Lignum Shrubland | | | | | | | | 8 | | 5 | 65.7% | 14 | 8 | | 57.0% | |
| 658 | Riverine Grassy Woodland / Riverine Sedgy Forest / Aquatic Herbland Mosaic | | | | | | | | | | | | 212 | 89 | | 41.8% | |
| 659 | Plains Riparian Shrubby Woodland | | | | | | | | | | | | 281 | 250 | | 88.8% | |
| 660 | Plains Woodland/Plains Grassy Wetland Mosaic | | | | | | | | | | | | 2234 | 865 | 536 | 62.7% | |
| 663 | Black Box Lignum Woodland | | | | | | | | | | | | 65 | 28 | | 42.5% | |
| 664 | Limestone Ridge Woodland | | | | | | | | 29 | 22 | | 78.2% | | | | | |
| 665 | Coastal Mallee Scrub | | | | | | | | 302 | 194 | | 64.1% | | | | | |
| 666 | Riparian Shrubland / Escarpment Shrubland / Grassy Woodland Mosaic | | | | | | | | 29 | 12 | | 41.1% | | | | | |
| 668 | Riparian Woodland / Escarpment Shrubland | | | | | | | | 22 | | | | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|---|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Mosaic | | | | | | | | | | | | | | | | |
| 669 | Escarpment Shrubland / Damp Sands Herb-rich Woodland / Riparian Woodland / Swamp Scrub Mosaic | | | | | | | | 169 | 122 | | 71.7% | | | | | |
| 670 | Limestone Woodland | | | | | | | | 69 | 69 | | 100.0% | | | | | |
| 672 | Damp Sands Herb-rich Woodland / Shrubby Woodland Mosaic | | | | | | | | 3 | | | | 310 | 82 | 44 | 40.6% | |
| 673 | Dune Soak Woodland | | | | | | | | | | | | 47 | 5 | 19 | 51.3% | |
| 674 | Sandy Stream Woodland | | | | | | | | 733 | 10 | 13 | 3.2% | 58 | | | | |
| 675 | Escarpment Shrubland / Damp Sands Herb-rich Woodland / Swamp Scrub Mosaic | | | | | | | | 88 | 63 | | 71.2% | | | | | |
| 676 | Salt Paperbark Woodland | | | | | | | | | | | | 49 | 21 | 7 | 58.4% | |
| 677 | Inland Saltmarsh | | | | | | | | | | | | 3 | 3 | | 95.2% | |
| 679 | Drainage Line Woodland | | | | | | | | | | | | 372 | 193 | 34 | 61.1% | |
| 680 | Freshwater Meadow | | | | | | | | 128 | 6 | 32 | 30.0% | 22 | | | | |
| 681 | Deep Freshwater Marsh | | | | | | | | 1297 | 795 | 310 | 85.1% | 9 | | 0 | 5.3% | |
| 682 | Permanent Open Freshwater | | | | | | | | 97 | 37 | | 37.9% | 1 | | | | |
| 683 | Semi-permanent Saline | | | | | | | | 1 | | | | 39 | 11 | 6 | 43.7% | |
| 684 | Permanent Saline | | | | | | | | 80 | 42 | | 52.9% | | | | | |
| 690 | Floodplain Riparian Woodland/Billabong Wetland Mosaic | | | | | | | | | | | | 1 | | | | |
| 691 | Aquatic | 364 | | | | 637 | 30 | 4.7% | 193 | 79 | 46 | 64.8% | 3 | 3 | | 85.8% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|---|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Herbland/Plains Sedgy Wetland Mosaic | | | | | | | | | | | | | | | | |
| 692 | Mangrove Shrubland/Coastal Saltmarsh/Berm Grassy Shrubland/Coastal Tussock Grassland Mosaic | 26 | | | | | | | | | | | | | | | |
| 693 | Riverina Plains Grassy Woodland/Plains Grassland Mosaic | 338 | | | | | | | | | | | | | | | |
| 697 | Grassy Woodland / Alluvial Terraces Herb-rich Woodland Mosaic | | | | | | | | | | | | 119 | 4 | 105 | 91.2% | |
| 704 | Lateritic Woodland | | | | | | | | 164 | 90 | 35 | 76.2% | 1260 | 13 | 573 | 46.5% | |
| 705 | Basalt Creekline Shrubby Woodland | | | | | | | | 1 | | | | | | | | |
| 707 | Sedgy Swamp Woodland | | | | | | | | 48 | | 9 | 17.7% | | | | | |
| 709 | Scree-slope Grassland/Woodland | | | | | | | | | | | | 7 | 7 | | 100.0% | |
| 711 | Shallow Sands Woodland / Plains Sedgy Woodland Mosaic | | | | | | | | | | | | 1878 | 1320 | 7 | 70.7% | |
| 713 | Damp Sands Herb-rich Woodland / Damp Heathland / Damp Heathy Woodland Mosaic | | | | | | | | 2930 | 108 | 600 | 24.2% | | | | | |
| 714 | Stony Knoll Shrubland / Plains Grassy Woodland / Plains Grassy Wetland | | | | | | | | 9 | 5 | | 53.5% | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Mosaic | | | | | | | | | | | | | | | | |
| 716 | Plains Grassy Woodland / Stony Knoll Shrubland Mosaic | | | | | | | | 3 | | | | | | | | |
| 719 | Grassy Woodland / Damp Sands Herb-rich Woodland Mosaic | | | | | | | | 917 | 18 | 4 | 2.4% | 2 | | | | |
| 720 | Swamp Scrub / Aquatic Herbland Mosaic | | | | | | | | 99 | 48 | | 48.6% | | | | | |
| 724 | Plains Woodland/Plains Sedgy Woodland/Damp Sands Herb-rich Woodland Mosaic | | | | | | | | | | | | 966 | 0 | 215 | 22.3% | |
| 725 | Damp Sands Herb-rich Woodland / Riparian Woodland / Swamp Scrub Mosaic | | | | | | | | 284 | 187 | | 65.9% | | | | | |
| 726 | Rocky Outcrop Shrubland/Herbland Mosaic / Heathy Woodland Mosaic | | | | | | | | | | | | 401 | 337 | | 84.0% | |
| 727 | Hills Herb-rich Woodland / Heathy Woodland Mosaic | | | | | | | | | | | | 8 | | | | |
| 729 | Sand Ridge Woodland / Damp Sands Herb-rich Woodland Mosaic | | | | | | | | | | | | 86 | 62 | | 72.3% | |
| 730 | Plains Grassy Woodland / Shrubby Woodland Mosaic | | | | | | | | 7 | | | | 1 | 1 | | 100.0% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|---|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 732 | Damp Sands Herb-rich Woodland / Plains Swamy Woodland / Aquatic Herbland Mosaic | | | | | | | | 228 | 12 | | 5.2% | | | | | |
| 733 | Swamp Scrub / Plains Sedgy Wetland / Aquatic Herbland Mosaic | | | | | | | | 72 | 41 | | 58.0% | | | | | |
| 734 | Damp Heathland / Damp Heathy Woodland / Wet Heathland Mosaic | | | | | | | | 635 | 19 | 497 | 81.2% | | | | | |
| 736 | Limestone Rise Grassland / Limestone Rise Woodland | | | | | | | | 90 | | 90 | 99.6% | | | | | |
| 737 | Heathy Woodland / Limestone Woodland Mosaic | | | | | | | | 3215 | 3003 | | 93.4% | | | | | |
| 738 | Damp Sands Herb-rich Woodland / Plains Grassy Woodland / Plains Sedgy Woodland Mosaic | | | | | | | | 145 | | 100 | 69.1% | | | | | |
| 739 | Plains Grassy Woodland / Plains Swamy Woodland Mosaic | | | | | | | | 136 | 0 | | 0.2% | | | | | |
| 740 | Damp Sands Herb-rich Woodland / Heathy Woodland / Sand Heathland Mosaic | | | | | | | | 969 | 966 | | 99.7% | | | | | |
| 741 | Salt Paperbark Woodland / Inland Saltmarsh Mosaic | | | | | | | | | | | | 16 | 13 | | 78.9% | |
| 745 | Hills Herb-rich | | | | | | | | 58 | 4 | 16 | 33.7% | 831 | 23 | 395 | 50.3% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Woodland / Plains Grassy Woodland Mosaic | | | | | | | | | | | | | | | | |
| 746 | Damp Heathland / Damp Heathy Woodland Mosaic | | | | | | | | 4008 | 639 | 1116 | 43.8% | | | | | |
| 748 | Shallow Sands Woodland / Heathy Woodland Mosaic | | | | | | | | | | | | 788 | 502 | | 63.7% | |
| 749 | Shallow Sands Woodland / Plains Sedgy Woodland / Seasonally Inundated Shrubby Woodland Mosaic | | | | | | | | | | | | 905 | 56 | 31 | 9.7% | |
| 750 | Shallow Sands Woodland / Plains Sedgy Woodland / Seasonally Inundated Shrubby Woodland Mosaic / Damp Sands Herb-rich Woodland Mosaic | | | | | | | | 1270 | 291 | 122 | 32.5% | 4427 | 52 | 1540 | 35.9% | |
| 751 | Seasonally Inundated Shrubby Woodland / Plains Sedgy Woodland Mosaic | | | | | | | | 573 | 59 | 70 | 22.5% | 678 | 16 | 341 | 52.7% | |
| 752 | Grassy Woodland / Hills Herb-rich Woodland / Damp Sands Herb-rich Woodland Mosaic | | | | | | | | 552 | 24 | | 4.3% | 255 | 13 | 8 | 8.4% | |
| 753 | Rocky Outcrop Shrubland/Herbland / Broombush Mallee Mosaic | | | | | | | | | | | | 168 | 122 | | 72.8% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 754 | Damp Heathland / Seasonally Inundated Shrubby Woodland Mosaic | | | | | | | | | | | | 62 | | 31 | 50.4% | |
| 756 | Heathy Woodland / Seasonally Inundated Shrubby Woodland Mosaic | | | | | | | | | | | | 178 | | 40 | 22.3% | |
| 757 | Damp Sands Herb-rich Woodland / Seasonally Inundated Shrubby Woodland Mosaic | | | | | | | | 111 | 100 | | 90.2% | 231 | 87 | 1 | 37.7% | |
| 758 | Rocky Outcrop Shrubland/Herbland / Hills Herb-rich Woodland Mosaic | | | | | | | | | | | | 16 | | | | |
| 759 | Hills Herb-rich Woodland / Valley Grassy Forest Mosaic | | | | | | | | | | | | 49 | 3 | | 7.0% | |
| 760 | Lateritic Woodland / Heathy Dry Forest Mosaic | | | | | | | | | | | | 95 | 3 | | 2.7% | |
| 761 | Hills Herb-rich Woodland/ Lateritic Woodland Mosaic | | | | | | | | | | | | 1 | | | | |
| 762 | Damp Heathland / Sand Heathland Mosaic | | | | | | | | 655 | 252 | 257 | 77.6% | | | | | |
| 763 | Damp Heathland / Damp Heathy Woodland / Seasonally Inundated Shrubby Woodland Mosaic | | | | | | | | 10 | | | | | | | | |
| 764 | Lateritic Woodland / Heathy Woodland Mosaic | | | | | | | | 27 | | | | 36 | 7 | | 18.2% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|---|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 765 | Heathy Dry Forest / Plains Grassy Woodland Mosaic | | | | | | | | | | | | 30 | | | | |
| 766 | Shrubby Woodland / Lateritic Woodland Mosaic | | | | | | | | | | | | 13 | 6 | | 43.0% | |
| 768 | Wet Heathland / Riparian Scrub Mosaic | | | | | | | | | | | | 0 | 0 | | 100.0% | |
| 770 | Damp Sands Herb-rich Woodland / Lowland Forest Mosaic | | | | | | | | 932 | 169 | 573 | 79.6% | | | | | |
| 771 | Heathy Dry Forest/Sand Heathland Mosaic | | | | | | | | | | | | 3 | 1 | | 25.6% | |
| 773 | Hills Herb-rich Woodland / Shrubby Woodland Mosaic | | | | | | | | | | | | 2 | | | | |
| 774 | Sedgy Riparian Woodland / Damp Sands Herb-rich Woodland Mosaic | | | | | | | | 2 | | | | 2 | 2 | | 100.0% | |
| 775 | Floodplain Thicket / Shrubby Woodland Mosaic | | | | | | | | | | | | 4 | | | | |
| 776 | Plains Swampy Woodland / Swamp Scrub Mosaic | | | | | | | | 77 | 7 | 12 | 24.2% | | | | | |
| 779 | Damp Sands Herb-rich Woodland / Shallow Sands Woodland Mosaic | | | | | | | | | | | | 474 | 13 | 219 | 48.9% | |
| 780 | Plains Sedgy Woodland / Shallow Sands Woodland / Heathy Woodland Mosaic | | | | | | | | | | | | 366 | | 219 | 60.0% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 781 | Damp Sands Herb-rich Woodland / Herb-rich Foothill Forest Mosaic | | | | | | | | 404 | | 184 | 45.6% | | | | | |
| 783 | Grassy Dry Forest / Heathy Woodland Complex | | | | | | | | | | | | 191 | 98 | | 51.2% | |
| 785 | Heathy Herb-rich Woodland / Damp Sands Herb-rich Woodland Mosaic | | | | | | | | 240 | 155 | | 64.7% | 477 | 202 | 98 | 63.0% | |
| 786 | Heathy Woodland / Heathy Herb-rich Woodland / Damp Heathy Woodland Mosaic | | | | | | | | 2622 | | 1873 | 71.4% | | | | | |
| 787 | Plains Woodland/Damp Sands Herb-rich Woodland Mosaic | | | | | | | | | | | | 109 | 105 | | 96.2% | |
| 788 | Shallow Sands Woodland / Heathy Herb-rich Woodland Mosaic | | | | | | | | | | | | 62 | | | | |
| 789 | Hills Herb-rich Woodland / Grassy Dry Forest Complex | | | | | | | | | | | | 54 | 54 | | 100.0% | |
| 790 | Heathy Woodland / Heathy Herb-rich Woodland Mosaic | | | | | | | | | | | | 188 | | 115 | 61.0% | |
| 791 | Plains Grassy Woodland / Damp Sands Herb-rich Complex / Damp Sands Herb-rich Woodland / Plains Grassy Woodland Complex / Damps | | | | | | | | 184 | 7 | | 3.8% | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| | Sands Herb-rich Woodland Mosaic | | | | | | | | | | | | | | | | |
| 792 | Stony Rises Woodland / Stony Knoll Shrubland Complex | | | | | | | | 779 | 5 | 19 | 3.1% | 1238 | | | 1216 | 98.3% |
| 793 | Damp Heathy Woodland | | | | | | | | 833 | 110 | 424 | 64.1% | | | | | |
| 794 | Floodplain Riparian Woodland / Plains Grassy Woodland Mosaic | | | | | | | | 13 | 8 | | 63.6% | | | | | |
| 796 | Valley Grassy Forest / Lateritic Woodland Mosaic | | | | | | | | | | | | 29 | | 1 | | 1.9% |
| 797 | Coastal Landfill / Sand Accretion | | | | | | | | 5 | 5 | | 99.9% | | | | | |
| 802 | Grassy Woodland / Heathy Woodland Mosaic | | | | | | | | | | | | 520 | | 49 | | 9.4% |
| 803 | Plains Woodland | | | | | | | | 0 | | | | 4379 | | 841 | 691 | 35.0% |
| 836 | Damp Heath Scrub/Heathy Woodland Complex | | | | | 16 | 16 | 100.0% | | | | | | | | | |
| 851 | Stream-bank Shrubland | 1525 | 572 | 188 | 49.8% | | | | | | | | | | | | |
| 858 | Calcarene Dune Woodland | 355 | 233 | | 65.5% | | | | 3931 | 2779 | | 70.7% | | | | | |
| 859 | Montane Grassy Woodland/Rock Outcrop Mosaic | 9 | 6 | | 64.8% | | | | | | | | | | | | |
| 863 | Floodplain Reedbed | | | | | 112 | 0 | 0.0% | | | | | | | | | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 876 | Spray-zone Coastal Shrubland | | | | | | | | 9 | 9 | | 100.0% | | | | | |
| 881 | Damp Sands Herb-rich Woodland / Heathy Woodland Mosaic | | | | | | | | 4742 | 3475 | 60 | 74.6% | 82 | 0 | | 0.3% | |
| 882 | Shallow Sands Woodland | | | | | | | | 1536 | 945 | 97 | 67.9% | 7041 | 1030 | 1708 | 38.9% | |
| 885 | Damp Sands Herb-rich Woodland / Plains Grassy Woodland Complex | | | | | | | | 1271 | 30 | 272 | 23.7% | 170 | 2 | | 1.1% | |
| 886 | Red Gum Wetland / Aquatic Herbland Mosaic | | | | | | | | | | | | 147 | 54 | 29 | 56.2% | |
| 891 | Plains Brackish Sedge Wetland | 16 | 16 | | 99.9% | | | | | | | | | | | | |
| 892 | Heathy Woodland/Sand Heath Mosaic | 38 | | | | | | | 209 | 0 | | 0.2% | 4396 | 1728 | 1185 | 66.3% | |
| 894 | Scoria Cone Woodland | 248 | | | | 387 | 203 | | 54 | 27 | | 49.7% | | | | | |
| 895 | Escarpment Shrubland | 131 | | | | | | | 115 | 18 | | 15.7% | 5 | 1 | | 25.5% | |
| 896 | Grassy Woodland/Heathy Dry Forest Complex | 820 | 9 | 2 | 1.3% | | | | | | | | | | | | |
| 897 | Plains Grassland/Plains Grassy Woodland Mosaic | 1576 | 688 | | 43.6% | 307 | 152 | | 68 | 6 | | 9.0% | | | | | |
| 898 | Cane Grass-Lignum Halophytic Herbland | 89 | 89 | | 100.0% | | | | | | | | | | | | |
| 899 | Plains Freshwater Sedge Wetland | 82 | 82 | | 100.0% | | | | | | | | | | | | |
| 987 | Plantation - Undefined | 2197 | 14 | 27 | 1.9% | 3039 | 8 | 13 | 0.7% | 9056 | 47 | 128 | 1.9% | 397 | | | |
| 988 | Quarry | | | | | | | | | | | | 81 | 41 | 1 | 52.4% | |

| EVC No | Ecological Vegetation Classes | Midlands FMA | | | | Otway FMA | | | | Portland FMA | | | | Horsham FMA | | | |
|--------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|------------------|--------------------------|-----------|--|
| | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | | Extant Area (ha) | Draft CAR reserve system | | |
| | | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system | | Conservation Reserves | Additions | % extant protected in draft CAR reserve system |
| 989 | Cleared/Severely Disturbed Due To Power Easement | | | | | | | | | | | | 6 | 2 | 3 | 80.3% | |
| 991 | Water Body-Salt | 3940 | 470 | | 11.9% | 39358 | 1820 | | 4.6% | 23 | 1 | | 6.0% | 7 | 1 | | 19.3% |
| 992 | Water Body-Fresh | 1390 | 19 | | 1.3% | 4861 | 161 | | 3.3% | 30 | | 1 | 1.7% | 7049 | 57 | 44 | 1.4% |
| 997 | Cleared areas | 1343371 | 1 | 2 | 0.0% | 614986 | 1 | 0 | 0.0% | 1407048 | 11756 | 431 | 0.9% | 826069 | 10110 | 1836 | 1.4% |
| 998 | Water Body - Natural or man made | | 176 | 14 | 33% | 42 | 10 | 0 | 24.3% | | | | | | | | |
| 999 | Unknown/Unclassified | | | | | 1 | | | | 137578 | 4662 | 1099 | 4.2% | 16165 | 737 | 787 | 9.4% |
| 57 | Plantation - Softwood | 16850 | 275 | 64 | 2.0% | 12959 | 199 | 63 | 2.0% | 53838 | 208 | 158 | 0.7% | 1060 | 15 | | 1.4% |
| 58 | Cleared / Severely Disturbed | 33506 | 9098 | 597 | 28.9% | 8595 | 4626 | 233 | 56.5% | 53 | 52 | | 99.1% | 1413 | 195 | 104 | 21.1% |
| 121 | Plantation - Hardwood | 655 | 655 | | 100.0% | 147 | | | | 14 | | | | | | | |

Notes:

Areas identified as extant forest are based on tree cover information for 1995 (derived from Landsat TM imagery) qualified with selected non-treed public land areas. It is assumed that areas identified as extant vegetation contain the assigned pre-1750 EVC type. Treed areas in private land less than 5 ha have been excluded from the extant vegetation dataset. X identifies EVCs for which the extant area is less than 20% represented in existing Parks and Reserves. Datasets from which this table is derived were used in the appropriate zone 54 or zone 55 projection Department of Natural Resources and Environment. 17 November 1999